

HONDA
The Power of Dreams

सच कर देंगे सपने



SP125
**STRICTLY FOR THE
ADVANCED**

Honda is  **HONDA**



A QUIET REVOLUTION

SP 125

IT'S TIME TO BE ADVANCED

Experience thrilling performance and advanced technology come together in the SP 125. It comes with Honda's globally acclaimed Enhanced Smart Power (eSP) technology with an eco-friendly, BS-VI engine in a dynamic personality that makes for an equally smart and stylish ride. So, get ready to make a serious, attitude-packed style statement with a bike that's strictly for the advanced.



HET
BS-VI

125cc HET BS VI ENGINE

Ahead of its time, the latest innovation in engine contributes to a cleaner environment. The intelligent HET engine delivers an unmatched performance.

eSP
ENHANCED SMART POWER

eSP

With SP 125, expect nothing but the best. Honda's Enhanced Smart Power (eSP) technology maximizes performance and fuel-efficiency by reducing friction. The ACG starter integrated with eSP technology starts the engine quietly giving you the best of riding experience and technology.

1ST
IN SEGMENT



SILENT START WITH ACG

Honda's unique ACG starter motor removes gear meshing noise and helps start the engine without a jolt.

PGM-FI
FUEL INJECTION

PGM-FI

PGM-FI system with 8 sensors constantly injects optimum fuel and air mixture resulting in efficient combustion that aids in consistent power output and higher mileage.

ADVANCED TECHNOLOGY



FRICITION REDUCTION

The piston cooling jet reduces friction and maintains optimum engine temperature. The offset cylinder, rocker roller arm fitted with needle bearing further reduces the frictional losses in the engine.



**[16%
MORE
MILEAGE]**

MILEAGE UP

A completely new engine powered by Honda's globally acclaimed eSP Technology delivers 16%[^] higher mileage.

ADVANCED TECHNOLOGY



FULL DIGITAL METER

Always stay up-to-date with the Full Digital Meter which displays **Real-time Fuel-efficiency**, **Average Fuel-efficiency**, **Distance-to-empty**, **Service Due Indicator**, **Gear Position Indicator** & **Eco Indicator**.



HET TUBELESS TYRE^{^^}

Honda's low-rolling resistance tubeless tyre is specially designed to increase fuel-efficiency.



ADVANCED STYLE



AGGRESSIVE TANK DESIGN WITH EDGY GRAPHICS

A definite head-turner, the muscular fuel tank design with edgy graphics makes it very appealing.



1ST
IN SEGMENT

SHARP LED DC HEADLAMP

A sure shot style statement, the Sharp LED DC Headlamp gives consistent illumination while riding irrespective of the speed and riding conditions.



SPORTY SPLIT ALLOY WHEELS

A split second is all you'll need to make your presence felt with the distinctive 5-spoke Split Alloy Wheels.



BOLD REAR STANCE WITH TAIL LAMP

The bold rear seamlessly integrates the tail lamp with the body enhancing the design statement.



PREMIUM CHROME MUFFLER COVER

The stylish Chrome Muller enhances the sporty looks.

ADVANCED COMFORT & CONVENIENCE



1ST IN SEGMENT



INTEGRATED HEADLAMP BEAM & PASSING SWITCH


Integrated Smart Single Switch for passing signal and low/high beam.



1ST IN SEGMENT


ENGINE START/STOP SWITCH

Start and stop your bike with just the flick of a switch anytime, anywhere. Enjoy enhanced convenience.



5-SPEED TRANSMISSION

Enhance the smooth yet thrilling ride experience with 5-Speed transmission.



5-STEP ADJUSTABLE REAR SUSPENSION

Makes your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.



3 + 3 YEARS WARRANTY PACKAGE

Complete peace of mind with 6 years warranty package, comprising of 3 years standard and 3 years optional service warranty.

1ST IN SEGMENT



CBS WITH EQUALIZER

The Combi-Brake System with Equalizer reduces braking distance, so you can ride with confidence.



SEAL CHAIN



The Seal Chain is low on maintenance and high on durability for a hassle-free riding experience.

TECHNICAL SPECIFICATIONS

	PARAMETERS	MEASUREMENTS
BODY DIMENSIONS	LENGTH	2020mm
	WIDTH	785mm
	HEIGHT	1103mm
	WHEEL BASE	1285mm
	GROUND CLEARANCE	160mm
	KERB WEIGHT	Disc 118kg, Drum 117kg
	SEAT LENGTH	705mm
	SEAT HEIGHT	790mm
	FUEL TANK CAPACITY	11L
	ENGINE	TYPE
DISPLACEMENT		124cc
MAX NET POWER		8kW @ 7500rpm
MAX NET TORQUE		10.9N-m @ 6000rpm
FUEL SYSTEM		PGM-FI
BORE x STROKE		50.0 X 63.1mm
COMPRESSION RATIO		10.0:1
STARTING METHOD		Self/Kick
TRANSMISSION	CLUTCH TYPE	Multiplate Wet Clutch
	NO. OF GEARS	5 Gears
TYRES & BRAKES	TYRE SIZE & TYPE (FRONT)	80/100-18 M/C 47P, Tubeless
	TYRE SIZE & TYPE (REAR)	80/100-18 M/C 54P, Tubeless
	BRAKE TYPE & SIZE (FRONT)	Disc 240mm, Drum 130mm
	BRAKE TYPE & SIZE (REAR)	Drum 130mm
FRAME & SUSPENSION	FRAME TYPE	Diamond Type
	FRONT SUSPENSION	Telescopic
	REAR SUSPENSION	Hydraulic Type
ELECTRICALS	BATTERY	12V, 5.0Ah
	HEAD LAMP	LED, DC

- *The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice
- *Distance-to-empty, real time and average mileage readings may vary as per variant and riding conditions
- SP 125 meets Bharat Stage VI norms
- Product shown in the picture may vary from actual product available in the market
- Accessories shown in the picture are not part of standard equipment
- *Mileage has increased by 16% for SP 125 as compared to BS IV to BS VI
- **Conditions apply
- ^^Only rear tyre is HET.

STRIKING GREEN
IMPERIAL RED METALLIC
PEARL SIREN BLUE
MATTE AXIS GREY METALLIC



Other Honda Shield Products**
Annual Maintenance Contract
Road Side Assistance
Engine Health Assurance

Follow us on



Vihaan Honda

MANPADA | OVALA | SHREE NAGAR
SHAHAPUR | PADGHA
VASHI | AIROLI

Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana)

Visit us at: www.honda2wheelersindia.com Customer Care: customer-care@honda2wheelersindia.com